Contents

Monolayer Transfer and LB Film Fabrication

Monolayer and multilayer films of differently substituted metal tetraazaannulene complexes 305
F. Bonosi, M. Romanelli, G. Martini (Florence, Italy), G. Ricciardi and F. Lelj (Potenza, Italy)

Monolayers and Langmuir–Blodgett films of a new lutetium(III)-bis-octakis(alkylthio)tetraazaporphyrin 310
F. Bonosi (Florence, Italy), G. Ricciardi and F. Lelj (Potenza, Italy)

Structural study of spin coated and LB films of monomeric and oligomeric phthalocyanines..... 316
G. C. Bryant, M. J. Cook, C. Ruggiero (Norwich, UK), T. G. Ryan, A. J. Thorne (Middlesbrough, UK), S. D. Haslam and R. M. Richardson (Bristol, UK)

Mixed alkanethiolate monolayers as substrates for studying the Langmuir film deposition process..... 325
S. D. Evans, P. Sanassy (Leeds, UK) and A. Ulman (Rochester, NY, USA)

Comparison of LB films obtained with an ordinary trough and a moving-wall type trough by ESR spectroscopy 330
K. Suga, Y. Iwamoto and M. Fujihira (Yokohama, Japan)

Mesogenic metal alkylthioporphyrins for the formation of Langmuir–Blodgett films..... 335
F. Bonosi (Florence, Italy), G. Ricciardi, F. Lelj (Potenza, Italy) and G. Martini (Florence, Italy)

A novel Langmuir–Blodgett trough and its applicability to deposition of films of various fluidities..... 339
L. S. Miller and A. L. Rhoden (Coventry, UK)

Langmuir–Blodgett film formation of disteroidal-TCNQ..... 342
K. Naito and A. Miura (Kawasaki, Japan)

Chain length dependence of molecular ordering in LB films of amphotropic phthalocyanines..... 346
R. H. Poynter, M. J. Cook, M. A. Chesters, D. A. Slater, J. McMurdo (Norwich, UK) and K. Welford (Malvern, UK)

Thermal behaviour of Langmuir–Blodgett films. Part III: structure and epitaxial layer growth of stearic, arachidic and behenic acid multilayers 351
A. Leuthe (Mainz, Germany), L. F. Chi (Münster, Germany) and H. Riegler (Mainz, Germany)

Effect of thermal treatment on surface monolayer and Langmuir–Blodgett film prepared by polyion complex technique 358
M. Shimomura (Sapporo, Japan), M. Oguchi, K. Kasuga, K. Fujii, E. Shinohara, S. Kondo, N. Tajima and K. Koshiishi (Tokyo, Japan)

In situ optical monitoring of the Langmuir layer and Langmuir–Blodgett film deposition with optical second harmonic generation the the air–water interface 361
J. Y. S. Lam and P. Stroeve (Davis, CA, USA)

Preparation and characterization of Langmuir–Blodgett films containing fullerene 367
R. Rella, P. Siciliano and L. Valli (Lecce, Italy)

Fabrication Methods for Organized Molecular Films

An automatic Langmuir–Blodgett system based on flowing subphase compression 371
Z. Lu, F. Qian, Y. Zhu, X. Yang and Y. Wei (Nanjing, China)

Fabrication of self-assembled monolayer patterns by selective electron beam irradiation and chemical adsorption technique 374
N. Mino (Kyoto, Japan), S. Ozaki (Osaka, Japan), K. Ogawa (Kyoto, Japan) and M. Hatada (Osaka, Japan)

Cyclic polysiloxanes in polar LB assemblies: synthesis, evaluation and pyroelectric behaviour..... 378
W. H. Abd. Majid, T. Richardson (Sheffield, UK), S. Holder and D. Lacey (Hull, UK)

On the presentation of thin metal oxides by Langmuir–Blodgett film deposition 384
D. M. Taylor and J. N. Lambi (Bangor, UK)

Migration and growth mechanism of long chain molecules on the surface of solid substrates 389
K. Yase (Ibaraki, Japan), M. Yamanaka, K. Mimura, S. Ueno and K. Sato (Higashi-Hiroshima, Japan)

Elsevier Sequoia

Dynamic Processes and Forces at Surfaces

Wetting of heterogeneous monolayer surfaces 394
A. Angelova (Sofia, Bulgaria)

Surface potential imaging of phase-separated LB monolayers by scanning Maxwell stress microscopy 399
T. Inoue and H. Yokoyama (Ibaraki, Japan)

Modern Methods of Investigation

Scanning tunnelling microscopy of a monolayer of reaction centres 403
P. Facci (Ponete, Italy), V. Erokhin (Marciana, Italy) and C. Nicolini (Ponente, Italy)

Development of a new force microscope with a fluorescence optical microscope 407
T. Fujii, M. Suzuki (Tokyo, Japan), H. Yamada and K. Nakayama (Tsukuba, Japan)

Structure of an anisotropic two-dimensional solid in a Langmuir film studied by electron scattering 411
C. Flament (Paris, France), K. Graf (Mainz, Germany), F. Gallet (Paris, France) and H. Riegler (Mainz, Germany)

X-Ray absorption and diffraction investigations of iodine-intercalated conducting Langmuir–Blodgett film 415
H. Ohnuki, M. Izumi, K. Kitamura (Tokyo, Japan), H. Yamaguchi, H. Oyanagi (Tsukuba, Japan) and P. Delhaes (Pessac, France)

Dependence of structural order of 4-*n*-alkyl-4′-cyanobiphenyl layers on the nature of the substrate: graphite and β-Nb_3I_8 419
S. N. Magonov, A. Wawkuschewski, G. Bar, P. Zönnchen and H.-J. Cantow (Freiburg, Germany)

The influence of counterions and hydrophobic moieties on the thermostability of Langmuir–Blodgett multilayers 425
U. Höhne and H. Möhwald (Mainz, Germany)

Scanning electron microscopy and atomic force microscopy of alkanethiol monolayers on gold 431
R. Rolandi, O. Cavalleri, C. Toneatto and D. Ricci (Genoa, Italy)

The structure of 1-octadecyl-4-styryl pyridinium bromide monolayers on water studied by specular X-ray reflection ... 437
D. A. Styrkas, R. K. Thomas (Oxford, UK) and A. V. Sukhorukov (Moscow, Russian Federation)

Organization of a globular protein film on solid surfaces: an X-ray photoelectron spectroscopy study 442
M. Subirade (Nantes, France) and A. Lebugle (Toulouse, France)

Observation of the phase-separated Langmuir–Blodgett films on vapor-deposited silver films with atomic force microscopy and friction force microscopy 446
M. Fujihira and H. Takano (Yokohama, Japan)

Imaging of structured and disordered hemicyanine monolayers by atomic force microscopy 450
J. Y. Fang, R. A. Uphaus (Ames, IA, USA) and P. Stroeve (Davis, CA, USA)

Atomic force microscopy studies of photosynthetic protein membrane Langmuir–Blodgett films 455
H. Yamada, Y. Hirata, M. Hara and J. Miyake (Tsukuba, Japan)

Electric, Dielectric and Magnetic Properties

Structure and electrical properties of heteromultilayers on p-Si(111) 459
L. Jiang, Y. Bai, D. Wang, K. Tian and T. Li (Jilin, China)

U-shaped distribution of interface states in metal–(Langmuir–Blodgett) Si structures with phthalocyanine Langmuir–Blodgett films 463
D. Barančok, J. Cirák, P. Tomčík (Bratislava, Slovak Republic), S. Nešpůrek and E. Brynda (Prague, Czech Republic)

Photovoltaic effect in CuTCNQ organic thin films 468
N. Gu, W. Lu, S. M. Pang, C. W. Yuan and Y. Wei (Nanjing, China)

Electron transport mechanism through polyimide Langmuir–Blodgett films containing porphyrin 472
M. Iwamoto, M. Wada and T. Kubota (Tokyo, Japan)

Surface potential of heat-treated polyimide Langmuir–Blodgett films 476
M. Iwamoto, A. Fukuda and E. Itoh (Tokyo, Japan)

Ordered structure and electrical properties in spiropyran Langmuir–Blodgett films 480
K. Kato, K. Shinbo, M. Suzuki, F. Kaneko and S. Kobayashi (Niigata, Japan)

I–V and π–A characteristics of ultra-thin Langmuir–Blodgett films 484
T. W. Kim, D.-Y. Kang, E.-S. Hong (Seoul, South Korea) and Y.-S. Kwon (Pusan, South Korea)

Structure and electrical properties of phosphatidic acid Langmuir–Blodgett films adsorbing cyanide dyes 489
F. Kaneko, K. Shinbo, Y. Kobayashi, K. Kato and S. Kobayashi (Niigata, Japan)

Study of the thermally stimulated discharge in single monolayers and hetero-structured films 493
T. Kubota, Y. Takahashi and M. Iwamoto (Tokyo, Japan)

The electromotive force generation in metal–insulator–metal structures of Langmuir–Blodgett films 497
Y.-S. Kwon (Pusan, South Korea), D.-Y. Kang (Seoul, South Korea) and T. Hino (Yokohama, Japan)

Superiority of Langmuir–Blodgett resist films in electron beam lithography as demonstrated by the backscattering yield 501
W. Lu, H. Y. Shen, N. Gu, C. W. Yuan, Z. H. Lu and Y. Wei (Nanjing, China)

Photovoltaic and photoelectric properties of Al/mixed monolayers of Chl a–SQDG/Ag sandwich cells..... 505
S. Nsengiyumva, S. Hotchandani and R. M. Leblanc (Trois-Rivières, Qué., Canada)

X-Ray photoelectron spectroscopy, attenuated total reflectance Fourier transform IR spectroscopy and transmission electron diffraction studies of oriented cadmium iodide prepared in a Langmuir–Blodgett template..... 510
J. K. Pike, H. Byrd, D. R. Talham and A. A. Morrone (Gainesville, FL, USA)

Electrically conducting thin films of aniline derivatives..... 515
E. Punkka, K. Laakso, H. Stubb (Espoo, Finland), K. Levon and W.-Y. Zheng (Brooklyn, NY, USA)

Interaction of slow electrons with Langmuir–Blodgett films studied by high resolution electron energy loss spectroscopy 521
A. M. Botelho de Rego (Lisbon, Portugal), M. Rei Vilar (Thiais, France), J. Lopes da Silva and A. M. Gonçalves da Silva (Lisbon, Portugal)

Transient photocurrent response in merocyanine Langmuir–Blodgett films 526
K. Saito and H. Yokoyama (Ibaraki, Japan)

Formation and electrical characterization of Langmuir–Blodgett films of metal–$(dmit)_2$ charge transfer salts 530
D. M. Taylor, S. K. Gupta, A. E. Underhill and A. S. Dhindsa (Bangor, UK)

Pyroelectricity and temperature-dependent domain structure of azobenzene derivative polar Langmuir–Blodgett films.. 536
J. Yang, R. Wang, H. Wang, T. Li, S. Pan (Jilin, China) and B. Zhang (Beijing, China)

Electrochemical Processes

Inhibition of corrosion by hexadecyl trimethyl ammonium bromide Langmuir–Blodgett monolayers on carbon steel .. 540
D. Guo, W. Xing, Y.-B. Shan, T.-H. Li and S.-Q. Xi (Changchun, China)

Electroactivity in poly(*o*-alkoxyaniline) Langmuir–Blodgett films..... 544
D. Gonçalves, L. O. S. Bulhões, S. V. Mello, L. H. C. Mattoso, R. M. Faria and O. N. Oliveira, Jr. (São Carlos, SP, Brazil)

Optical and Spectroscopic Properties

Influence of the phase state of phosphatidylcholine matrix monolayers on the photophysical characteristics of an amphiphilic oxacyanine dye at the air/water interface..... 547
R. C. Ahuja and D. Möbius (Göttingen, Germany)

Molecular organization in mixed monomolecular films and Langmuir–Blodgett layers of alkylaminostyryl-pyridinium dyes and stearic acid 553
O. Befort and D. Möbius (Göttingen, Germany)

In-plane organization of LB monolayers from FTIR spectroscopy..... 559
D. Blaudez, T. Buffeteau, B. Desbat, N. Escafre and J. M. Turlet (Talence, France)

Photoinduced electron transfer in molecular organizates at the gas–water interface..... 564
P.-L. Caruso, R. C. Ahuja, D. Möbius (Göttingen, Germany), G. Wildburg and H. Ringsdorf (Mainz, Germany)

Charge transfer interactions at the air–water interface and in Langmuir–Blodgett films..... 569
B. J. Dringenberg, R. C. Ahuja and D. Möbius (Göttingen, Germany)

Monolayers and Langmuir–Blodgett films of semifluorinated tetrathiafulvalene derivative 575
E. Dupart, B. Agricole, S. Ravaine, C. Mingotaud, O. Fichet, P. Delhaes (Pessac, France), H. Ohnuki (Tokyo, Japan), G. Munger and R. M. Leblanc (Trois-Rivières, Qué., Canada)

An investigation of the optical properties of tetraphenylporhyrin derivatives in Langmuir and Langmuir–Blodgett films 581
M. B. Grieve, A. J. Hudson, T. Richardson (Sheffield, UK), R. A. W. Johnstone (Liverpool, UK), A. J. F. N. Sobral and A. M. d'A. Rocha Gonsalves (Coimbra, Portugal)

Noncentrosymmetric and centrosymmetric J-aggregation in photomerocyanine monolayer studied by second-harmonic generation and absorption spectroscopy 587
K. Kajikawa, T. Anzai, T. Takezoe and A. Fukuda (Tokyo, Japan)

Conducting Langmuir–Blodgett films based on semiamphiphilic tetracyanoquinodimethane salts: mechanism of the homodoping process 592
O. Fichet, A. Agricole (Pessac, France), H. Kassi (Trois-Rivières, Qué., Canada), B. Desbat (Talence, France), V. Gionis (Athens, Greece), R. M. Leblanc (Trois-Rivières, Qué., Canada), C. Garrigou-Lagrange and P. Delhaes (Pessac, France)

The formation and characterisation of Langmuir–Blodgett films of dipalmitoylphosphatidic acid 596
M. H. Greenhall, P. J. Lukes, M. C. Petty, J. Yarwood (Durham, UK) and Y. Lvov (Mainz, Germany)

Assembling and optical properties of dicyclohepta[5,6:*b*]-pyrazino[2,3-*g*] quinoxaline-3,11-dione derivatives 602
T. Nagamura, T. Fujita, M. Takasaka (Hamamatsu, Japan), H. Takeshita, A. Mori and T. Nagao (Fukuoka, Japan)

Molecular orientation of aggregated mesoporphyrin IX dimethylester in mixed Langmuir–Blodgett films with arachidic acid 606
T. Koga (Saga, Japan), T. Nagamura (Hamamatsu, Japan) and T. Ogawa (Fukuoka, Japan)

Surface sensitivity of SiON integrated optical waveguides (IOWs) examined by IOW–attenuated total reflection spectrometry and IOM–Raman spectroscopy 610
T. E. Plowman, M. D. Garrison, D. S. Walker and W. M. Reichert (Durham, NC, USA)

Direction of photocurrents of molecular photodiodes with oriented triad molecules 616
M. Sakomura and M. Fujihira (Yokohama, Japan)

Structural information on thiophene Langmuir–Blodgett heterostructures 620
M. Schmelzer, M. Burghard, P. Bäuerle and S. Roth (Stuttgart, Germany)

Spectroscopic properties of Langmuir–Blodgett films of amphiphilic polysilanes 625
T. Seki, T. Tamaki, K. Ueno (Ibaraki, Japan) and Y. Tanaka (Osaka, Japan)

Adsorption of cyanine dyes and optical properties of phosphatidic acid Langmuir monolayers and Langmuir–Blodgett films 630
K. Shinbo, F. Kaneko and S. Kobayashi (Niigata, Japan)

Characterization of polyion complexed Langmuir–Blodgett films by electron spin resonance 634
K. Suga, Y. Iwamoto and M. Fujihira (Yokohama, Japan)

Non-radiative decay channels in poly(3-hexylthiophene) and poly(3-dodecylthiophene) and how to control them by molecular engineering 638
B. Xu, J. Lowe and S. Holdcroft (Burnaby, B.C., Canada)

Size-dependent FTIR spectroscopy of nanoparticulate α-Fe_2O_3–stearate alternating Langmuir–Blodgett films 643
J. Yang, X. G. Peng, T. J. Li and S. F. Pan (Changchun, China)

Photochemical and Chemical Reactions

Electron transfer between photoexcited oxacyanine dye and dithiocarbamate in LB films: counterion and pH dependence 647
W. Budach, R. C. Ahuja and D. Möbius (Göttingen, Germany)

Photochemical investigation of pyrene-labelled monolayers 651
G. Caminati (Florence, Italy), R. C. Ahuja and D. Möbius (Göttingen, Germany)

Synthesis of a novel disubstituted diacetylene and solid state polymerization of its Langmuir–Blodgett film 656
Y. Liu, C. Yang, Y. Xu and D. Zhu (Beijing, China)

Optical waveguide studies on photoinduced electrochromism in ultrathin films of ion-pair charge-transfer complexes of 4-4′-bipyridinium ions 660
T. Nagamura, H. Sakaguchi, K. Sasaki, C. Mochizuki and K. Suzuki (Hamamatsu, Japan)

The change in Langmuir–Blodgett film structures of cationic amphiphiles with pyrene-1-carboxylate anion on treatment with HCl gas 664
Y. Niidome and M. Fujihira (Yokohama, Japan)

Photoelectropoling of azobenzene chromophores in molecular films 669
M. Schönohoff, G. Grewer, M. Lösche (Mainz, Germany), S. P. Palto (Moscow, Russian Federation), L. F. Chi and H. Fuchs (Münster, Germany)

Alignment photoregulation of liquid crystals on precisely area controlled azobenzene Langmuir–Blodgett monolayers . 675
T. Seki (Ibaraki, Japan), R. Fukuda (Chiba, Japan), T. Tamaki (Ibaraki, Japan) and K. Ichimura (Yokohama, Japan)

Insertion of silver tetracyanoquinodimethane complexes into Langmuir–Blodgett multilayers 679
C.-W. Yuan, C.-R. Wu, Y. Wei and W.-Y. Yang (Nanjing, China)

Polymers in Organized Molecular Films

Preparation of Langmuir–Blodgett multilayers with differently substituted poly(3-alkylthiophenes) 683
A. Bolognesi, G. Bajo, Z. Geng, W. Porzio and F. Speroni (Milan, Italy)

Conformation and thermodynamics of haemoglobin adsorbed at fluid interfaces 687
R. Douillard (Nantes, France)

Parts 1 and 3 appear as Vols. 242/1–2 and 244/1–2

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.